AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended). A cosmetic having low-temperature stability, comprising at least 5 wt% based on the total weight of said cosmetic of an organopolysiloxane expressed by the following general formula (1)

 ${(CH_3)_3SiO}_3SiCH_3$ (1);

and at least one other kind of organopolysiloxane than that expressed by the formula (1); wherein said other kind of organopolysiloxane is not a crosslinked organopolysiloxane prepared by addition polymerization in the presence of the organopolysiloxane expressed by the general formula (1) and thereby swollen with the organopolysiloxane expressed by the general formula (1) after polymerization; and wherein said cosmetic, upon inspection by the naked eye, exhibits low-temperature stability by not exhibiting does not exhibit phase separation after storage at 0°C and subsequently returning to room temperature.

- 2. (Cancelled)
- 3. (Original) The cosmetic as described in Claim 1, wherein said other kind of organopolysiloxane is liquid at 25°C and 1 atm.
- 4. (Original) The cosmetic as described in Claim 3, wherein said liquid organopolysiloxane is volatile at 25°C and 1 atm.
- 5. (Original) The cosmetic as described in Claim 4, wherein said volatile organopolysiloxane is a cyclic dimethylpolysiloxane having 4 to 6 silicon atoms.

- 6. (Original) The cosmetic as described in Claim 3, wherein said liquid organopolysiloxane is non-volatile at 25°C and 1 atm.
- 7. (Original) The cosmetic as described in Claim 6, wherein said non-volatile organopolysiloxane is at least one selected from the group consisting of dimethylpolysiloxanes and methylphenylpolysiloxanes.
- 8. (Original) The cosmetic as described in Claim 1, wherein said other kind of organopolysiloxane is of a form of paste, gum, elastomeric solid or non-elastomeric solid at 25°C and 1 atm.

- 9. (Original) The cosmetic as described in Claim 8, wherein said gum form of organopolysiloxane is dimethylpolysiloxane gum with a degree of polymerization ranging from 3,000 to 20,000.
- 10. (Original) The cosmetic as described in Claim 8, wherein said elastomeric solid form or non-elastomeric solid form of organopolysiloxane is dispersed in the cosmetic.
- 11. (Original) The cosmetic as described in Claim 10, wherein said non-elastomeric solid form of organopolysiloxane is polyalkylsilsesquioxane spherical powder.
- 12. (Previously Presented) The cosmetic as described in Claim 8, wherein said nonelastomeric solid form of organopolysiloxane is at least one selected from the group consisting of

acryl silicone copolymers, fluorinated organopolysiloxanes, trimethylsiloxysilicates and trimethylsiloxysilicates containing a dimethylsiloxy group.

- 13. (Previously Presented) The cosmetic as described in Claim 1, wherein said other kind of organopolylsiloxane is a modified organopolysiloxane.
- 14. (Original) The cosmetic as described in Claim 13, wherein said modified organopolysiloxane is at least one selected from the group consisting of fluorinated organopolysiloxanes, polyether-modified organopolysiloxanes, amino-modified organopolysiloxanes, organopolysiloxanes containing an alcoholic hydroxyl group, glyceryl-modified organopolysiloxanes, and polyglyceryl-modified organopolysiloxanes.
- 15. (Original) The cosmetic as described in Claim 1, wherein said other kind of organopolysiloxanes is a crosslinked organopolysiloxane.
- 16. (Original) The cosmetic as described in Claim 15, wherein said crosslinked organopolysiloxane is a reaction product of organopolysiloxane having at least two alkenyl groups per molecule with organohydrogenpolysiloxane having a Si-H bond.
- 17. (Original) The cosmetic as described in Claim 15, wherein said crosslinked organopolysiloxane has at least one moiety selected from the group consisting of polyoxyalkylene moieties, alkyl moieties, alkenyl moieties, and aryl moieties.

- 18. (Previously Presented) The cosmetic as described in Claims 15, wherein said crosslinked organopolysiloxane is contained in the cosmetic in a state swollen in an organopolysiloxane of a dynamic viscosity of 0.65 to 100 mm²/s.
- 19. (Previously Presented) The cosmetic as described in claim 1, wherein it further contains a fluorine-containing compound.
- 20. (Previously Presented) The cosmetic as described in claim 1, wherein it further contains a UV-ray protective component.
- 21. (Previously Presented) The cosmetic as described in claim 20, wherein said UV- ray protective component is at least one selected from the group consisting of titanium oxide fine particle, zinc oxide fine particle, 2-ethylhexyl paramethoxycinnamate, 4-tert-butyl-4' methoxydibenzoylmethane, and benzophenone UV-ray absorbents.
- 22. (Cancelled)
- 23. (Previously Presented) The cosmetic as described in claim 1, wherein it further contains a thickening agent.
- 24. (Cancelled)

- 25. (Previously Presented) The cosmetic as described in Claim 12, wherein said trimethylsiloxysilicates are MQ resins and said trimethylsiloxysilicates containing a dimethylsiloxy group are MDQ resins.
- 26. (Cancelled)
- 27. (Cancelled)
- 28. (Cancelled)
- 29. (Previously Presented) The cosmetic as described in Claim 1, wherein the organopolysiloxane expressed by the formula (1) is contained in an amount of at least 10 wt % based on a total weight of the cosmetic.
- 30. (Previously Presented) The cosmetic as described in Claim 1, wherein the cosmetic further comprises a compound having an alcoholic hydroxyl group.